	Substitute for fo	orm 1449	A/PTO		Complete if Known
INFO		ישוח ו	CLOSURE	Application No.	10/577,742
- -	-		PPLICANT	Filing Date	July 19, 2006
SIAI) i Ai	PLICANT	First Named Inventor	Brett B. Finlay
				Art Unit	1645
				Examiner Name	Oluwatosin A. Ogunbiyi
Sheet	1	of	9	Attorney Docket Number	27112-14589

			U.S. PATEI	NT DOCUMENTS		
		Document No.				
Examiner Initials*	Cite No.1	Number – Kind Code ² (if known)	Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document		
	A1	US-6,730,822	05-04-2004	Ivarie et al.		
	A2	US-6,365,723	04-02-2002	Blattner et al.		
	A3	US-6,165,743	12-26-2000	Rambach		
	A4	US-6,136,554	10-24-2000	Bochner		
	A5	US-5,951,988	09-14-1999	Little-van den Hurk et al.		
	A6	US-5,750,113	05-12-1998	Cook		
	A7	US-5,151,267	09-29-1992	Babiuk et al.		
	A8	US-4,744,984	05-17-1988	Ragland		
	A9	US-4,708,871	11-24-1987	Geysen		
	A10	US-4,310,550	01-12-1982	Wolff, III et al		
	A11	US-2002/0173478 A1	11-21-2002	Gewirtz		
·	A12	US-2002/0132788 A1	09-19-2002	Lewis et al.		

			FOREIGN PA	TENT DOCUMENTS	
		Foreign Patent Document			
Examiner Initials*	Cite No. ¹	Country Code ³ – Number ⁴ Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	T ⁶
	B1	JP2002355074 A2 (English Abstract)	12-10-2002	University Tsukuba	
	B2	WO 97/40063	10-30-1997	Finlay et al.	
	В3	WO 99/24576	05-20-1999	Finlay et al.	
	B4	WO 02/053181	07-11-2002	Finlay et al.	
	B5	WO 05/042746 A1	05-12-2005	Finlay et al.	

OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS						
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ⁶			
	C1	FELGNER, PHILIP L., "Particulate systems and polymers for in vitro and in vivo delivery of polynucleotides,"				
		Advanced Drug Delivery Reviews, 1990, 5(3), pages 163-187.				

Examiner Signature	/Oluwatosin Ogunbiyi/	Date Considered	07/28/2010
-----------------------	-----------------------	--------------------	------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

	Substitute for fo	orm 1449 <i>i</i>	/PTO		Complete if Known
INFO		יסוח ו	CLOSURE	Application No.	10/577,742
	-		PPLICANT	Filing Date	July 19, 2006
SIAI	CIVICINI) I Ar	PLICANT	First Named Inventor	Brett B. Finlay
				Art Unit	1645
				Examiner Name	Oluwatosin A. Ogunbiyi
Sheet	2	of	9	Attorney Docket Number	27112-14589

		OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	L _e
	C2	VAN DALEN, F., et al., "Preparation and Characterization of Liposomes with Incorporated Neisseria	
		gonorrhoeae Protein IB and Amphiphilic Adjuvants," Journal of Controlled Release, 1988, Pages 123-132,	
		Vol. 7.	
	C3	PRAGER, M., " Kodak Laboratory Chemicals Bulletin, 1986, 56(1), Page 1-5.	
	C4	ABE, A. et al., "Enterpathogenic Escherichia coli traslocated intimin receptor, Tir, requires a specific chaperone for stable secretion," Mol. Microbiol., 1999, 33(6), Page 1162-1175.	
	C5	ABE, A. et al., "Two enteropathogenic Escherichia coli, type III secreted proteins, EspA and EspB, are virulence factors," Journal of Experimental Medicine, 1998, 188, pages 1907-1916.	
	C6	ALTSCHUL, S.F., "Amino acid substitution matrices from an information theoretic perspective," Journal of Molecular Biology, 1991, 219, pages 555-665.	
	C7	ALYMOVA, IV et al., "Immunogenicity and protective efficacy in mice of influenza B virus vaccines grown in mammalian cells or embyonated chicken eggs," J. Virol., 1998, Vol. 72, No. 5, Pages 4472-4477.	
	C8	BABIUK et al., "Protection of Cattle from Bovine Herpesvirus Type I (BHV-1) Infection by Immunization with Individual Viral Glycoprotiens," Virology, 1986, Vol. 159, Pages 57-66.	
	C9	BEUZON, C.R. et al., "Use of mixed infections with Salmonella strains to study virulence genes and their interactions in vivo," Microbes and Infection, 2001, Vol. 3, Pages 1345-1352.	
	C10	BROWN, D., et al., "RNA Interference in Mammalian Cell Culture: Design, Execution and Analysis of the siRNA Effect," Ambion, The RNA Company, [online] retrieved from the internet on 09/26/07, 7 pages, Retrieved from Biocompare, The Buyer's Guide for Life Scientists, Technical Articles.	
	C11	BRUNDER, W., et al., "EspP, a novel extracellular serine protease of enterohaemorrhagic Escherichia coli O157:H7 cleaves human coagulation factor V," Molecular Microbiology, 1997, pgs. 767-778, Vol. 24, No. 4.	
	C12	BUCHET, A., et al., "Positive co-regulation of the Escherichia coli carnitine pathway <i>cai</i> and <i>fix</i> operons by CRP and the CaiF activator," Molecular Microbiology, 1999, pgs. 562-575, Vol. 34, No. 3.	
	C13	BUCHRIESER, C., et al., "The virulence plasmid pWR100 and the repertoire of proteins secreted by the type III secretion apparatus of Shigella flexneri," Molecular Microbiology, 2000, pgs. 760-771, Vol. 38(4).	
	C14	BUSTAMANTE, V. H., et al., "Transcriptional regulation of type III secretion genes in enteropathogenic Escherichia coli: Ler antagonizes H-NS-dependent repression," Molecular Microbiology, 2001, pgs. 664-678, Vol. 39, No. 3.	
	C15	CANIL, C., et al., "Enteropathogenic <i>Escherichia coli</i> Decreases the Transepithelial Electrical Resistance of Polarized Epithelial Monolayers," Infection and Immunity, July 1993, pgs. 2755-2762, Vol. 61, No. 7.	
	C16	CELLI, J., et al., "Enteropathogenic <i>Escherichia coli</i> mediates antiphagocytosis through the inhibition of PI 3-kinase-dependent pathways," The EMBO Journal, 2001, pgs. 1245-1258, Vol. 20, No. 6.	
	C17	CHARDIN, P., et al., "Brefeldin A: The Advantage of Being Uncompetitive," Cell, April 16, 1999, pgs. 153-155, Vol. 97.	

Examiner Signature	/00/	/Oluwatosin Ogunbi	Pate VConsidered	07/28/2010
-----------------------	------	--------------------	---------------------	------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

	Substitute for fo	orm 1449 <i>F</i>	/PTO		Complete if Known
INFO		ו חופי	CLOSURE	Application No.	10/577,742
_			PPLICANT	Filing Date	July 19, 2006
SIAI) і Аг	PLICANT	First Named Inventor	Brett B. Finlay
				Art Unit	1645
				Examiner Name	Oluwatosin A. Ogunbiyi
Sheet	3	of	9	Attorney Docket Number	27112-14589

	OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS									
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ⁶							
	C18	CHERNUSHEVICH, I. V., et al., "An introduction to quadrupole time-of-flight mass spectrometry," Journal								
		of Mass Spectrometry, 2001, pgs. 849-865, Vol. 36.								
	C19	Clin. Exp. Immunol., 1989, 78(2), 256-262								
	C20	CORNELIS, G. R., "Yersinia type III secretion: send in the effectors," The Journal of Cell Biology, August 5, 2002, pgs. 401-408, Vol. 158, No. 3.								
	C21	DAYHOFF, M.O. et al., "A model of evolutionary change in proteins," Atlas of Protein Sequence and Structure, Dayhoff, M.O. (ed.), 1978, 5(3), Pages 345-352, National Biomedical Research Foundation, Washington.								
	C22	DENG, W. et al., "Citrobacter rodentium translocated intimin receptor (Tir) is an essential virulence factor needed for actin condensation, intestinal colonization and colonic hyperplasia in mice," Mol. Microbiol., 2003, 48, pages 95-115.								
	C23	DENG, W. et al., "Dissecting virulence: Systematic and functional analyses of a pathogenicity island," PNAS, March 2004, 101(10), pages 3597-3602.								
	C24	DENG, W. et al., "Locus of enterocyte effacement form Citrobacter rodentium: sequence analysis and evidence for horizontal transfer among attaching and effacing pathogens," Infect. Immun., 2001, 69(10), pages 6323-6335.								
	C25	DEVINNEY, R. et al., "Enterohemorrhagic Escherichia coli O157:H7 produces Tir, which is translocated to the host cell membrane but is not tyrosine phosphorylated," Infect. Immun., 1999, 67(5), pages 2389-2398.								
	C26	DONNENBERG, M.S. et al., "Construction of an eae deletion mutant of enteropathogenic Escherichia coli by using a positive-selection suicide vector," Infect. Immun., 1991, 59(12), pages 4310-4317.								
	C27	EDWARDS, R.A. et al., "Improved allelic exchange vectors and their use to analyze 987P fimbria gene expression," Gene, 1998, 207, pages 149-157.								
	C28	ESIGNBERG, D. et al., "Analysis of membrane and surface protein sequences with the hydrophobic moment plot", J. Mol. Bio., 1984 Oct. 15, 179(1), pages 125-142, 184.								
	C29	ELDER, R.O. et al., "Correlation of enterohemorrhagic Escherichia coli O157 prevalence in feces, hides, and carcasses of beef cattle during processing", Proc. Natl. Acad. Sci. USA, March 28, 2000, 97(7), pages 2999-3003.								
	C30	ELLIOT, S. J., et al., "Identification of CesT, a chaperone for the type III secretion of Tir in enteropathogenic <i>Escherichia coli</i> , Molecular Microbiology, 1999, pgs. 1176-1189, Vol. 33, No. 6.								
	C31	ELLIOT, S. J., et al., "EspG, a Novel Type III System-Secreted Protein from Enteropathogenic <i>Escherichia coli</i> with Similarities to VirA of <i>Shigella flexneri</i> ," Infection and Immunity, June 2001, pgs. 4027-4033, Vol. 69, No. 6.								
	C32	ELLIOT, S. J., et al., "The complete sequence of the locus of enterocyte effacement (LEE) from enteropathogenic <i>Escherichia coli</i> E2348/69," Molecular Microbiology, 1998, pgs. 1-4, Vol. 28, No. 1.								

Signature 07/28/2010 Date Considered 07/28/2010 07/28/2010	
--	--

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

	Substitute for fo	orm 1449 <i>i</i>	N/PTO		Complete if Known
INFO		יפוח ו	CLOSURE	Application No.	10/577,742
_			PPLICANT	Filing Date	July 19, 2006
SIAI) і Аг	PLICANT	First Named Inventor	Brett B. Finlay
				Art Unit	1645
				Examiner Name	Oluwatosin A. Ogunbiyi
Sheet	4	of	9	Attorney Docket Number	27112-14589

		OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ⁶
	C33	FEY, P. D., et al., "Prevalence of Non-O157:PH7 Shiga Toxin-Producing Escherichia coli in Diarrheal Stool	
		Samples from Nebraska," Emerging Infectious Diseases, September-October 2000, pgs. 530-533, Vol. 6,	
		No. 5.	
	C34	FRANKEL, G., et al., Enteropathogenic and enterohaemorrhagic Escherichia coli: more subversive	
		elements," Molecular Microbiology, 1998, pgs. 911-921, Vol. 30, No. 5.	
	C35	GALÁN, J. E., "Salmonella Interactions with Host Cells: Type III Secretion at Work," Annual Review of Cell	
		Developmental Biology, 2001, pgs. 53-86, Vol. 17.	
	C36	GALL, D., "The Adjuvant Activity of Aliphatic Nitrogenous Bases," Immunology, 1996, pgs. 369-386, Vol. 11.	
	C37	GAUTHIER, A., et al., "Mechanical Fractionation Reveals Structural Requirements for Enteropathogenic	
		Escherichia coli Tir Insertion into Host Membranes," Infection and Immunity, July 2000, pgs. 4344-4348, Vol. 68, No. 7.	
	C38	GOOSNEY, D. L., et al., "Recruitment of Cytoskeletal and Signaling Proteins to Enteropathogenic and	
		Enterohemorrhagic Escherichia coli pedestals," Infection and Immunity, May 2001, pgs. 3315-3322, Vol. 69,	
		No. 5.	
	C39	GRIFFIN, P. M., et al., "Illness Associated with Escherichia coli 0157:H7 Infections," Annals of Internal	
		Medicine, November 1988, pgs. 705-712, Vol. 109.	
	C40	GRUENHEID, S., et al., "Enteropathogenic E. coli Tir binds Nck to initiate actin pedestal formation in host	
		cells," Nature Cell Biology, September 2001, pgs. 856-859, Vol. 3.	
	C41	GRUENHEID, S., et al., "Identification and characterization of NIeA, a non-LEE-encoded type III translocated	
		virulence factor of enterohaemorrhagic Escherichia coli O157:H7," Molecular Microbiology, 2004, pgs. 1233-	
		1249, Vol. 51, No. 5.	
	C42	GRUENHEID, S., et al., "Microbial pathogenesis and cytoskeletal function," Nature, 2003, pgs. 775-781, Vol.	
		422.	
	C43	GUTTMAN, D. S., et al., "A Functional Screen for the Type III (Hrp) Secretome of the Plant Pathogen	
		Pseudomonas syrangae," Science, March 1, 2002, pgs. 1722-1726, Vol. 295.	
	C44	HACKER, J., et al. "Pathogenicity Islands and the Evolution of Microbes," Annual Review Microbiology,	
		2000, pgs. 641-679, Vol. 54.	
	C45	HAMMOND, S. M., et al., "Post-Transcriptional Gene Silencing by Double-Stranded RNA," Nature Reviews,	
	040	Genetics, February 2001, pgs. 110-119, Vol. 2.	
	C46	HAUF, N., et al., "Suppression of NF-κB Activation and Proinflammatory Cytokine Expression by Shiga	
	0.47	Toxin-Producing Escherichia coli," The Journal of Immunology, 2003, pgs. 2074-2082, Vol. 170.	
	C47	HENIKOFF, S., et al., "Performance Evaluation of Amino Acid Substitution Matrices," Proteins: Structure,	
	040	Function and Genetics, 1993, pgs. 49-61, Vol. 17.	
	C48	HENIKOFF, S., et al., "Amino acid substitution matrices from protein blocks," Proceedings of the National	

Examiner Signature	/Oluwatosin Ogunbiyi/	Date Considered	07/28/2010
-----------------------	-----------------------	--------------------	------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

	Substitute for fo	orm 1449 <i>i</i>	/PTO		Complete if Known
INFO		יסוח ו	CLOSURE	Application No.	10/577,742
	-		PLICANT	Filing Date	July 19, 2006
SIAI	CIVICINI) і Аг	PLICANT	First Named Inventor	Brett B. Finlay
				Art Unit	1645
				Examiner Name	Oluwatosin A. Ogunbiyi
Sheet	5	of	9	Attorney Docket Number	27112-14589

Examinar Initials* No. Include name of the author (in CAPITAL LETTERS), titls of the article (when appropriate), titls of the ten (book, magazine, initials* No. Initial	OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS							
C49 HOUTHAEVE, T. et al., "Automation of micro-preparation and enzymatic cleavage of gel electrophoretically separated proteins", FEBS Lett., 1995, 376, pages 91-94. C50 HSIAO, W. et al., "IslandPath: aiding detection of genomic islands in prokaryotes," Bioinformatics, 2003, 19, pages 418-420. C51 HUECK, C.J., "Type III protein secretion systems in bacterial pathogens of animals and plants," Microbiol. Mol. Biol. Rev., 1998, 62, 379-433 C52 JARVIS, K.G. et al., "Secretion of extracellular proteins by enterohemorrhagic Escherichia coli via a putative type III secretion system," Infect. Immun., 1996, 64, pages 4826-4829. C53 JOHNSON, M.S. et al., "A Structural Basis of Sequence Comparisons: An evaluation of scoring methodologies," Journal of Molecular Biology, 1993, 233, pages 716-738. C54 KENNY, B. et al., "Co-ordinate regulation of distinct host cell signaling pathways by multifunctional enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107. C55 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L. at al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L. at al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Continuous cultures of fused cells secreting and nonsecreting myeloma cell lines", Eur. J. Immunol		journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where	T ₆					
separated proteins", FEBS Lett., 1995, 376, pages 91-94. C50 HSIAO, W. et al., "IslandPath: aiding detection of genomic islands in prokaryotes," Bioinformatics, 2003, 19, pages 418-420. C51 HUECK, C.J., "Type III protein secretion systems in bacterial pathogens of animals and plants," Microbiol. Mol. Biol. Rev., 1998, 62, 379-433 C52 JARVIS, K.G. et al., "Secretion of extracellular proteins by enterohemorrhagic Escherichia coli via a putative type III secretion system," Infect. Immun., 1996, 64, pages 4826-4829. C53 JOHNSON, M.S. et al., "A Structural Basis of Sequence Comparisons: An evaluation of scoring methodologies," Journal of Molecular Biology, 1993, 233, pages 716-738. C54 KENNY, B. et al., "Co-ordinate regulation of distinct host cell signaling pathways by multifunctional enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107. C55 KENNY, B. et al., "Enteropathogenic E. coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5617), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol.		Academy of Sciences USA, Biochemistry, November 1992, pgs. 10915-10919, Vol. 89.						
CS0 HSIAO, W. et al., "IslandPath: aiding detection of genomic islands in prokaryotes," Bioinformatics, 2003, 19, pages 418-420. CS1 HUECK, C.J., "Type III protein secretion systems in bacterial pathogens of animals and plants," Microbiol. Mol. Biol. Rev., 1998, 62, 379-433 CS2 JARVIS, K.G. et al., "Secretion of extracellular proteins by enterohemorrhagic Escherichia coli via a putative type III secretion system," Infect. Immun., 1996, 64, pages 4826-4829. CS3 JOHNSON, M.S. et al., "Structural Basis of Sequence Comparisons: An evaluation of scoring methodologies," Journal of Molecular Biology, 1993, 233, pages 716-738. CS4 KENNY, B. et al., "Co-ordinate regulation of distinct host cell signaling pathways by multifunctional enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107. CS5 KENNY, B. et al., "Interopathogenic E. coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. CS6 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. CS7 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. CS8 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 49, pages 685-704. CS9 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 266(5517), pages 495-497. C60 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 266(5517), pages 495-497. C61 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C62 K	C49	HOUTHAEVE, T. et al., "Automation of micro-preparation and enzymatic cleavage of gel electrophoretically						
pages 418-420. C51 HUECK, C.J., "Type III protein secretion systems in bacterial pathogens of animals and plants," Microbiol. Mol. Biol. Rev., 1998, 62, 379-433 C52 JARVIS, K.G. et al., "Secretion of extracellular proteins by enterohemorrhagic Escherichia coli via a putative type III secretion system," Infect. Immun., 1996, 64, pages 4826-4829. C53 JOHNSON, M.S. et al., "A Structural Basis of Sequence Comparisons: An evaluation of scoring methodologies," Journal of Molecular Biology, 1993, 233, pages 716-738. C54 KENNY, B. et al., "Co-ordinate regulation of distinct host cell signaling pathways by multifunctional enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107. C55 KENNY, B. et al., "Enteropathogenic E. coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 92-295. C62 KRESSE, A.U. et al., "Salmonella effectors producing tissue culture and tumor lines", Eur. J. Immunol., 1976, 6(7), pa		separated proteins", FEBS Lett., 1995, 376, pages 91-94.						
Mol. Biol. Rev., 1998, 62, 379-433 C52 JARVIS, K.G. et al., "Secretion of extracellular proteins by enterohemorrhagic Escherichia coli via a putative type III secretion system," Infect. Immun., 1996, 64, pages 4826-4829. C53 JOHNSON, M.S. et al., "A Structural Basis of Sequence Comparisons: An evaluation of scoring methodologies," Journal of Molecular Biology, 1993, 233, pages 716-738. C54 KENNY, B. et al., "Co-ordinate regulation of distinct host cell signaling pathways by multifunctional enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107. C55 KENNY, B. et al., "Enteropathogenic E. coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(7), pages 6490-6498. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "Simple method for displaying the hydropathic character of a protein", J. Mol. Biol.,	C50							
type III secretion system," Infect. Immun., 1996, 64, pages 4826-4829. C53 JOHNSON, M.S. et al., "A Structural Basis of Sequence Comparisons: An evaluation of scoring methodologies," Journal of Molecular Biology, 1993, 233, pages 716-738. C54 KENNY, B. et al., "Co-ordinate regulation of distinct host cell signaling pathways by multifunctional enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107. C55 KENNY, B. et al., "Enteropathogenic E. coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132.	C51							
C53 JOHNSON, M.S. et al., "A Structural Basis of Sequence Comparisons: An evaluation of scoring methodologies," Journal of Molecular Biology, 1993, 233, pages 716-738. C54 KENNY, B. et al., "Co-ordinate regulation of distinct host cell signaling pathways by multifunctional enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107. C55 KENNY, B. et al., "Enteropathogenic E. coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132.	C52	· · · · · · · · · · · · · · · · · · ·						
enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107. C55 KENNY, B. et al., "Enteropathogenic E. coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132.	C53	JOHNSON, M.S. et al., "A Structural Basis of Sequence Comparisons: An evaluation of scoring						
C55 KENNY, B. et al., "Enteropathogenic E. coli (EPEC) transfers its receptor for intimate adherence into mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.	C54	KENNY, B. et al., "Co-ordinate regulation of distinct host cell signaling pathways by multifunctional						
mammalian cells," Cell, 1997, 91, pages 511-520. C56 KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.		enteropathogenic Escherichia coli effector molecules," Mol. Microbiol., 2002, 44, pages 1095-1107.						
mitochondria," Cell Microbiol., 2000, 2, pages 579-590. C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.	C55							
C57 KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.	C56	KENNY, B. et al., "Targeting of an enteropathogenic Escherichia coli (EPEC) effector protein to host						
and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103. C58 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.		mitochondria," Cell Microbiol., 2000, 2, pages 579-590.						
 KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812. 	C57	KNODLER, L.A. et al., "Salmonella effectors within a single pathogenicity island are differentially expressed						
microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704. C59 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution — a review," Poult Sci., 1993, 72(10), pages 1807-1812.		and translocated by separate type III secretion systems," Mol. Microbiol., 2002, 43, pages 1089-1103.						
 KOHLER, G. et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, 1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812. 	C58	KNODLER, L.A. et al., "Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant						
1975, 256(5517), pages 495-497. C60 KOHLER, G. et al., "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion", Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.		microdomains on internal host cell membranes," Mol. Microbiol., 2003, 49, pages 685-704.						
Eur. J. Immunol., 1976, 6(7), pages 511-519. C61 KOHLER, G. et al., "Fusion between immunoglobulin-secreting and nonsecreting myeloma cell lines", Eur. J. Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.	C59							
Immunol., 1976, 6(4), pages 292-295. C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.	C60							
C62 KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology, November 2000, 182(22), pages 6490-6498. C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.	C61							
C63 KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982, 157(1), pages 105-132. C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.	C62	KRESSE, A.U. et al., "Characterization of SepL of Enterohemorrhagic Escherichia coli," J of Bacteriology,						
C64 LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993, 72(10), pages 1807-1812.	C63	KYTE, J. et al., "A simple method for displaying the hydropathic character of a protein", J. Mol. Biol., 1982,						
	C64	LARSSON, A. et al., "Chicken antibodies: taking advantage of evolution – a review," Poult Sci., 1993,						
	C65	LEE, N.S. et al., "Expression of small interfering RNAs targeted against HIV-1 rev transcripts in human						

Examiner Signature	/Oluwatosin Ogunbiyi/	Date Considered	07/28/2010
-----------------------	-----------------------	--------------------	------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

	Substitute for fo	orm 1449	A/PTO		Complete if Known
INFO		יפוח ו	CLOSURE	Application No.	10/577,742
	-		PPLICANT	Filing Date	July 19, 2006
SIAI	CIVICIAL) і Аг	PLICANT	First Named Inventor	Brett B. Finlay
				Art Unit	1645
				Examiner Name	Oluwatosin A. Ogunbiyi
Sheet	6	of	9	Attorney Docket Number	27112-14589

	OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS							
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ⁶					
		cells", Nature Biotechnol., 2002, 20(5), pages 500-505.						
	C66	LEVINE, M.M. et al., "Escherichia coli strains that cause diarrhoea but do not produce heat-labile or heat-						
		stable enterotoxins and are non-invasive," Lancet, 1978, 1, pages 1119-1122.						
	C67	LI, Y. et al., "Human response to Escherichia coli O157:H7 Infection: Antibodies to Secreted Virulence						
		Factors," Infection and Immunity, September 2000, 68(9), Pages 5090-5095.						
	C68	LIMPENS, J. and Scheper, RJ, "Synergistic effects of locally administered cytostatic drugs and a surfactant						
		on the development of delayed-type hypersensitivity to keyhole limpet haemocyanin in mice", Clin. Exp.						
		Immunol., 1989, 78(2), pages 256-262.						
	C69	MARCHES, O. et al., "Enteropathogenic and enterohaemorrhagic Escherichia coli deliver a novel effector						
		called Cif, which blocks cell cycle G2/M transition," Mol. Microbiol., December 2003, 50(5), pages 1553-						
		1567.						
	C70	MARCHES, O. et al., "Role of tir and intimin in the virulence of rabbit enteropathogenic Escherichia coli						
		serotype O103:H2", Infect. Immun., 2000, 68(4), pages 2171-2182.						
	C71	MCNAMARA, B.P. et al., "Translocated EspF protein from enteropathogenic Escherichia coli disrupts host						
		intestinal barrier function," J. Clin. Invest., 2001, 107, pages 621-629.						
	C72	MELLIES, J.L. et al., "Identification of CesT, a chaperone for the type III secretion of Tir in enteropathogenic						
		Escherichia coli", Mol. Microbiol., 1999, 33(6), pages 1176-1189.						
	C73	MILLER, S.I. et al., "A two-component regulatory system (phoP phoQ) controls Salmonella typhimurium						
		virulence", Proc. Natl. Acad. Sci. USA, 1989, 86(13), pages 5054-5058.						
	C74	MIYAGISHI, M. et al., "U6 promoter-driven siRNAs with four uridine 3' overhangs efficiently suppress						
		targeted gene expression in mammalian cells", Nature Biotechnol., 2002, 20(5), pages 497-500.						
	C75	MUNDY, R. et al., "Identification of a Novel Citrobacter rodentium Type III Secreted Protein, Espl, and Roles						
		of this and Other Secreted Proteins in Infection," Infect. Immun., April 2004, 72(4), pages 2288-2302.						
	C76	MYERS, E.W. et al., "Optimal alignments in linear space", CABIOS, 1988, 4(1), pages 11-17.						
	C77	NATARO, J.P. et al., "Diarrheagenic Escherichia coli," Clin Microbiol. Rev., 1998, 11, pages 142-201.						
	C78	NAYLOR, S.W. et al., "Lymphoid follicle-desne mucosa at the terminal rectum is the prinispal site of						
		colonization of enterhemorrhagic Escherichia coli O157:H7 in the bovine host," Infect. Immun., 2003, 71,						
		pages 1505-1512.						
	C79	O'FARRELLY, C. et al., "Oral ingestion of egg yolk immunogloculin from hens immunized with an						
		enterotoxigenic Escherichia coli strain prevents diarrhea in rabbits challenged with the same strain," Infect.						
		Immun., 1992, 60(7), pages 2593-2597.						
	C80	PADDISON, P.J. et al., "Short hairpin RNAs (shRNAs) induce sequence-specific silencing in mammalian						
		cells", Genes & Dev., 2002, 16(8), pages 948-958.						
	C81	PAUL, C.P. et al., "Effective expression of small interfering RNA in human cells", Nature Biotechnol., 2002,						

	· // (Newstooin / Nounbivi/	
Examiner	/Oluwatosin Ogunbiyi/ _{Date}	07/28/2010
Signature	Considered	07/20/2010

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

	Substitute for fo	orm 1449/	A/PTO		Complete if Known
INFO		ישוח ו	CLOSURE	Application No.	10/577,742
- -	-		PPLICANT	Filing Date	July 19, 2006
SIAI) i Ar	PLICANI	First Named Inventor	Brett B. Finlay
				Art Unit	1645
				Examiner Name	Oluwatosin A. Ogunbiyi
Sheet	7	of	9	Attorney Docket Number	27112-14589

OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS							
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ⁶				
		20(5), pages 505-508.					
	C82	PEETERS, J.E. et al., "Biotype, serotype, and pathogenicity of attaching and effacing enteropathogenic					
		Escherichia coli strains isolated from diarrheic commercial rabbits," Infect. Immun., 1988, 56, pages 1442-1448.					
	C83	PERNA, N.T. et al., "Genome Sequence of enterohaemorrhagic Escherichia coli O157:H7," Nature, 2001, 409, pages 529-533.					
	C84	PERNA, N.T. et al., "Molecular evolution of a pathogenicity island from enterohemorrhagic Escherichia coli O157:H7," Infect. Immun., 1998, 66, pages 3810-3817.					
	C85	PETNICKI-OCWIEJA, T. et al., "Genomewide identification of proteins secreted by the Hrp type III protein secretion system of Pseudomonas syringae pv. tomato DC3000", Proc. Natl. Acad. Sci. USA, 2002, 99(11), pages 7652-7657.					
	C86	PUENTE, J.L. et al., "The bundle-forming pili of enteropathogenic Escherichia coli: transcriptional regulation by environmental signals", Mol. Microbiol., 1996, 20(1), pages 87-100.					
	C87	ROMITO, M. et al., "Eliciting antigen-specific egg-yold IgY with naked DNA," Biotechniques, 2001, 31(3), pages 670,672,674-675.					
	C88	SCHAUER, D.B. et al., "The eae gene of Ctrobacter freudii biotype 4280 is necessary for colonization in transmissible murine colonic hyperplasia," Infect. Immun., 1993, 61, pages 4654-4661.					
	C89	SCHIJNS, V.E. et al., "Immunological concepts of vaccine adjuvant activity", Curr. Opi. Immunol., 2000, 12(4), pages 456-463.					
	C90	SHARP, P.A., "RNA interference—2001", Genes Dev., 2001, 15(5), pages 485-490.					
	C91	SMITH, R.H. et al., "Cyclophosphamide and dimethyl dioctadecyl ammonium bromide immunopotentiate the delayed-type hypersensitivity response to inactivated enveloped viruses, Immunology, 1986, 58(2), pages 245-250.					
	C92	SNIPPE, H. et al., "Adjuvanticity of dimethyl dioctadecyl ammonium bromide in guinea pigs. I. Skin test reactions", Int. Arch. Allergy Appl. Immunol., 1982, 68(3), pages 201-208.					
	C93	SPERANDIO, V. et al., "Quorum sensing controls expression of the type III secretion gene transcription and protein secretion in enterohemorrhagic and enteropathogenic Escherichia coli", Proc. Natl. Acad. Sci. USA, 1999, 96(26), pages 15196-15201.					
	C94	STATES, D.J. et al., "Improved Sensitivity of Nucleic Acid Databse Search Using Application-Specific Scoring Matrices," Methods: A Companion to Methods in Enzymology, 1991, 3(1), pages 66-77.					
	C95	TAUSCHEK, M. et al., "Characterization and evidence of mobilization of the LEE pathogenicity island of rabbit-specific strains of enteropathogenic Escherichia coli," Mol. Microbiol., 2002, 44, pages 1533-1550.					
	C96	TU, X. et al., "EspH, a new cytoskeleton-modulating effector of enterohaemorrhagic and enteropathogenic Escherichia coli," Mol. Microbiol., 2003, 47, pages 595-606.					

Examiner Signature	/Oluwatosin Ogunbiyi/	Date Considered	07/28/2010	
-----------------------	-----------------------	--------------------	------------	--

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

	Substitute for fo	orm 1449 <i>F</i>	/PTO		Complete if Known
INFO		ו חופי	CLOSURE	Application No.	10/577,742
	-		PPLICANT	Filing Date	July 19, 2006
SIAI	CIVICINI) і Аг	PLICANT	First Named Inventor	Brett B. Finlay
				Art Unit	1645
				Examiner Name	Oluwatosin A. Ogunbiyi
Sheet	8	of	9	Attorney Docket Number	27112-14589

OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ⁶		
	C97	VALLANCE, B.A. et al., "Host susceptibility to the attaching and effacing bacterial pathogen Citrobacter			
		rodentium," Infect. Immun., 2003, 71, pages 3443-3453.			
	C98	VALLANCE, B.A. et al., "Mice lacking T and B lymphocytes develop transient colitis and crypt hyperplasia			
		yet suffer impaired bacterial clearance during Citrobacter rodentium infectio," Infect. Immun., 2002, 70,			
		pages 2070-2081.			
	C99	VALLANCE, B.A. et al., "Modulation of inducible nitric oxide synthase expression by the attaching and			
		effacing bacterial pathogen citrobacter rodentium in infected mice," Infect. Immun., 2002, 70, pages 6424-6435.			
	C100	VAN DONKERSGOED, J. et al., "Environmental sources and transmission of Escherichia coli O157 in			
		feedlot cattle", Can Vet. J., 2001, 42(9), pages 714-720.			
	C101	VAN DONKERSGOED, J. et al., "The prevalence of verotoxins, Escherichia coli O157:H7, and Salmonella in			
		the feces and rumen of cattle at processing", Can Vet. J., 1999, 40(5), pages 332-338.			
	C102	VAUGHAN, T.J. et al., "Human antibodies with sub-nanomolar affinities isolated from a large non-immunized			
		phage display library", Nature Biotech, 1996, 14(3), pages 309-314.			
	C103	YOKOYAMA, H. et al., "Oral passive immunization against experimental salmonellosis in mice using chicken			
		egg yolk antibodies specific for Salmonella enteritidis and S. typhimurium," Vaccine, 1998, 16(4), pages 388-393.			
	C104	YOSHIDA, S. et al., "Shigella deliver an effector protein to trigger host microtubule destabilization, which			
		promotes Rac1 activity and efficient bacterial internalization," Embo J., 2002, 21, pages 2923-2935.			
	C105	YU, J.Y. et al., "RNA interference by expression of short-interfering RNAs and hairpin RNAs in mammalian			
		cells", Proc. Natl. Acad. Sci. USA, 2002, 99(9), pages 6047-6052.			
	C106	ZHU, C. et al., "Complete nucleotide sequence and analysis of the locus of enterocyte Effacement from			
		rabbit diarrheagenic Escherichia coli RDEC-1," Infect Immun., 2001, 69, pages 2107-2115.			
	C107	ZIEGLER, Z., "Ion traps come of age", Anal. Chem., 2002, 74(17), pages 489A-492A.			
	C108	ZIOLA, B. et al., "In vitro proliferation of lymphocytes from cyclophosphamide-pretreated mice immunized			
		with antigen mixed with dimethyl dioctadecyl ammonium bromide", J. Immunol. Methods, 1987, 97(2), pages			
		159-164.			
	C109	Hypothetical protein Z6024 UniProt/TrEMBL, database 1 March 2002 accession number Q8XAJ5.			
	C110	SUI, G., et al., "A DNA vector-based RNAI technology to suppress gene expression in mammalian cells,"			
		PNAS, April 16, 2002, Pages 5515-5520, Vol. 99, No. 8.			
	C111	KARLIN, S., et al., "Methods for assessing the statistical significance of molecular sequence features by			
		using general scoring schemes," PNAS, March 1990, Pages 2264-2268, Vol. 87.			
	C112	HOPP, T., et al., "Prediction of protein antigenic determinants from amino acid sequences," PNAS, June			
		1981, Pages 3824-3828, Vol. 78, No. 6.			

Examiner Signature	/Oluwatosin Ogunbiyi/ ^{Date} Considered	07/28/2010
-----------------------	---	------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

	Substitute for fo	rm 1449 <i>i</i>	N/PTO	Complete if Known		
INFO		יסוח ו	CLOSURE	Application No.	10/577,742	
_			PPLICANT	Filing Date	July 19, 2006	
SIAI	CIVICINI) i Ar	PLICANI	First Named Inventor	Brett B. Finlay	
				Art Unit	1645	
				Examiner Name	Oluwatosin A. Ogunbiyi	
Sheet	9	of	9	Attorney Docket Number	27112-14589	

OTHER REFERENCES – NON-PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ⁶		
	C113	GEYSEN, H., et al., "A Priori Delineation of a Peptide which Mimics a Discontinuous Antigenic Determinant,"			
		Molecular Immunology, 1986, Pages 709-715, Vol. 23, No. 23.			
	C114	GEYSEN, H., et al., "Use of peptide synthesis to probe viral antigens for epitopes to a resolution of a single			
	amino acid," PNAS, July 1984, Pages 3998-4002, Vol. 81.				
	C115	CAPLEN, N., et al., "Specific inhibition of gene espression by small double-stranded RNAs in invertebrate			
		and vertebrate systems," PNAS, August 14, 2001, Pages 9742-9747, Vol. 98, No. 17.			
	C116	BRUMMELKAMP, T., et al., "A System for Stable Expression of Short Interfering RNAs in Mammalian Cells,"			
		Science, April 19, 2002, Vol. 296.			
	C117	Escherichia coli, Accession Number AF071034, NCBI Sequence Viewer, August 13, 1998, 24 pages.			
	C118	Escherichia coli, Accession Number AE005174, NCBI Sequence Viewer, January 27, 2005, 3 pages.			
	C119	Escherichia coli, Accession Number NC002655, NCBI Sequence Viewer, July 19, 2006, 2005, 2 pages.			
	C120	Escherichia coli, Accession Number NC002695, NCBI Sequence Viewer, May 23, 2006, 2 pages.			
	C121	Escherichia coli, Accession Number AE005594, NCBI Sequence Viewer, March 21, 2001, 9 pages.			
	C122	Escherichia coli, Accession Number AE005595, NCBI Sequence Viewer, March 21, 2001, 7 pages.			
	C123	Escherichia coli, Accession Number AP002566, NCBI Sequence Viewer, March 20, 2004, 158 pages.			

Examiner Signature	/Oluwatosin Ogunbiyi/	Date Considered	07/28/2010
-----------------------	-----------------------	--------------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.